

| Test Report                                       | No.: JER25201151M01                              | Date: 24-Mar-2025  | Page: 1 of 9 |
|---|--|--|--------------|
| PROTERIAL METALS, LTD.<br>3550 KIDAMARI, TSUCHIUF | RA-SHI, IBARAKI-KEN, 300-0026 JAPA               | AN   |              |
| SAMPLE NAME                                       | : Copper base metal:HCL-02Z/Pro                  | terial Metals, Ltd.  |              |
| CLIENT REF.NO                                     | :  |  |              |
|   | ND INFORMATION WERE PROVIDED E<br>は顧客により提供されました。 | BY THE APPLICANT.  |              |
| SAMPLE RECEIVED<br>サンプル受領日                        | : 26-Feb-2025                                    |  |              |
| TESTING DATE<br>分析期間                              | : 26-Feb-2025 to 24-Mar-2025                     |  |              |
| TEST REQUESTED<br>分析項目                            | : SELECTED TEST(S) AS REQUES<br>分析項目は顧客の要求によります  |  |              |
| TEST METHOD(S)<br>分析方法                            | OTHER CHEMICALS WERE TES<br>RoHS10物質の分析は最新版のII   | EDITION OF IEC62321 FOR RoHS 10 SUBSTANC<br>FED BY EACH APPROPRIATE METHOD.<br>EC62321を参照しました。<br>それぞれに最適な方法で分析を行いました。 | DES.         |
| TEST RESULT(S)<br>分析結果                            | : PLEASE REFER TO THE NEXT F<br>以下のページをご参照願います。  |  |              |



PIN CODE: 30905092

丸山 文隆

Fumitaka Maruyama / Quality Officer **Central Chemical Laboratory** SGS Japan Inc.



No.: JER25201151M01

Date: 24-Mar-2025

Page: 2 of 9

PROTERIAL METALS, LTD.

3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### Test Result(s)

| Test Item(s)/ Location  | Method                               | Unit                 | MDL  | Result |
|---|--------------------------------------|----------------------|------|--------|
| Cadmium(Cd)   | IEC62321-5: 2013, ICP-OES            | mg/kg                | 2    | N.D.   |
| Lead(Pb)  | IEC62321-5: 2013, ICP-OES            | mg/kg                | 2    | N.D.   |
| Mercury(Hg)   | IEC62321-4: 2013+AMD1: 2017, ICP-OES | mg/kg                | 2    | N.D.   |
| Chromium VI(Cr(VI))   | IEC62321-7-1: 2015, UV-VIS           | $\mu { m g}/{ m cm}$ | 0.01 | N.D.   |
| Polybrominated biphenyl(PBBs)   |                                      |                      |      |        |
| Monobromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Dibromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Tribromobiphenyl  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Tetrabromobiphenyl  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Pentabromobiphenyl  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Hexabromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Heptabromobiphenyl  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Octabromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Nonabromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Decabromobiphenyl   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Polybrominated diphenyl ether(PBDEs)  |                                      |                      |      |        |
| Monobromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Dibromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Tribromodiphenyl ether  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Tetrabromodiphenyl ether  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Pentabromodiphenyl ether  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Hexabromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Heptabromodiphenyl ether  | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Octabromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Nonabromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Decabromodiphenyl ether   | IEC62321-6: 2015, GC/MS              | mg/kg                | 5    | N.D.   |
| Diisobutyl phthalate(DIBP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Dibutyl phthalate(DBP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Butylbenzyl Phthalate(BBP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Di(2-ethylhexyl) phthalate(DEHP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Dioctyl phthalate(DNOP)   | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Diisononyl phthalate(DINP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| Diisodecyl phthalate(DIDP)  | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |
| 1,2–Benzenedicarboxylic acid,<br>Di–C7–11–branched and linear<br>alkylesters(DHNUP) | IEC62321-8: 2017, GC/MS              | mg/kg                | 50   | N.D.   |

L
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com\_Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only to the samples(s) tested. This Test Report refer on the law. The fact Report refer on the samples(s) tested. This Test Report refer on



No.: JER25201151M01

Date: 24-Mar-2025

Page: 3 of 9

PROTERIAL METALS, LTD.

3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

| Test Item(s)/ Location  | Method                           | Unit  | MDL | Result |
|---|----------------------------------|-------|-----|--------|
| 1,2-Benzenedicarboxylic acid,<br>Di-C6-8-branched alkylesters,C7-rich<br>(DIHP) | IEC62321-8: 2017, GC/MS          | mg/kg | 50  | N.D.   |
| Di(2-methoxyethyl) phthalate(DMEP)  | IEC62321-8: 2017, GC/MS          | mg/kg | 50  | N.D.   |
| Fluorine(F)   | BS EN14582(2016)/ Combustion, IC | mg/kg | 50  | N.D.   |
| Chlorine(Cl)  | BS EN14582(2016)/ Combustion, IC | mg/kg | 50  | N.D.   |
| Bromine(Br)   | BS EN14582(2016)/ Combustion, IC | mg/kg | 50  | N.D.   |
| Iodine(I)   | BS EN14582(2016)/ Combustion, IC | mg/kg | 50  | N.D.   |
| Perfluorooctanoic acid(PFOA)  | EPA3550C, LC/MS/MS               | mg/kg | 10  | N.D.   |
| Perfluorooctane sulfonates(PFOS)  | EPA3550C, LC/MS/MS               | mg/kg | 10  | N.D.   |
| Beryllium(Be)   | EPA3052, ICP-OES                 | mg/kg | 10  | N.D.   |
| Antimony(Sb)  | EPA3052, ICP-OES                 | mg/kg | 2   | N.D.   |
| Hexabromocyclododecane(HBCDD)   | IEC62321-9: 2021, GC/MS          | mg/kg | 20  | N.D.   |

**NOTE:** mg/kg = ppm, MDL = Method Detection Limit, N.D. = Not Detected

**REMARK:** Cr(VI) has been tested with regard to the surface area of 12cm.



No.: JER25201151M01

Date: 24-Mar-2025

Page: 4 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### 分析フローチャート MEASUREMENT FLOW CHART

酸分解前処理において試料を完全分解しています。

The sample was dissolved/ decomposed totally by acid pre-conditioning method according to below flow chart.



This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only to the samples(s) tested. This Test Report cannot be reproduced except, in full, without prior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this test report is unlawful and offenders may be prosecuted to the fullest extent of the law. COR & 和告書は裏面に記載された、もしくはhttp://www.sgs.comで入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この檢查報告書に記載された結果は、檢查した試料のみに属します。この書面全体の複 製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この檢查報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段 を講じることとなります。



No.: JER25201151M01

Date: 24-Mar-2025

Page: 5 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### 分析フローチャート MEASUREMENT FLOW CHART





No.: JER25201151M01

Date: 24-Mar-2025

Page: 6 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### 分析フローチャート MEASUREMENT FLOW CHART

ハロゲン HALOGEN



This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only to the samples(s) tested. This Test Report cannot be reproduced except, in full, without pior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this test report is unlawful and offenders may be prosecuted to the fullest extent of the law. この検査報告書は裏面に記載された、もしくはれtp://www.sgs.comで入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この検査報告書に記載された結果は、検査した試料のみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この検査報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。



No.: JER25201151M01

Date: 24-Mar-2025

Page: 7 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### 分析フローチャート MEASUREMENT FLOW CHART



This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only to the samples(s) tested. This Test Report cannot be reproduced except, in full, without pior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this test report is unlawful and offenders may be prosecuted to the fullest extent of the law. この検査報告書は裏面に記載された、もしくはれtp://www.sgs.comで入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この検査報告書に記載された結果は、検査した試料のみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この検査報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。



No.: JER25201151M01

Date: 24-Mar-2025

Page: 8 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

#### 分析フローチャート MEASUREMENT FLOW CHART

酸分解前処理において試料を完全分解しています。 The sample was dissolved/ decomposed totally by acid pre-conditioning method according to below flow chart.



This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only to the samples(s) tested. This Test Report cannot be reproduced except, in full, without pior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this test report is unlawful and offenders may be prosecuted to the fullest extent of the law. この検査報告書は裏面に記載された、もしくはれtp://www.sgs.comで入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この検査報告書に記載された結果は、検査した試料のみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この検査報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。



No.: JER25201151M01

Date: 24-Mar-2025

Page: 9 of 9

PROTERIAL METALS, LTD. 3550 KIDAMARI, TSUCHIURA-SHI, IBARAKI-KEN, 300-0026 JAPAN

Sample Image



\*\* End of Report \*\*